

Appl. No.: 09/932,148
 Amndt. dated 12/30/2004
 Reply to Office action of July 2, 2004

Amendments to the Claims:

Kindly amend Claims 1-5, 7, 10, 12, 14-16, 18-21, 23-25, 27, 33, 36 and 39.
 Kindly cancel Claims 6, 8, 9, 11, 13, 17, 22, 28, 29, 32, 34, 35, 37, 38 and 40.

1. (Currently Amended) A method for capturing optical and decoding barcode image data ~~from an image signal executed by a central processor that is additionally responsible for executing the operating system and application program of the~~ in an image capture device, the method comprising the steps of:

generating an image capture signal;
 assigning, ~~at the central processor, in response to an image capture signal, a~~
~~memory address for the image data to be assembled;~~
 receiving, in response to the image capture signal at an image capture device,
pixel data of an image ~~optical image data from an imager;~~
 assembling the pixel data into a plurality of image data blocks at the image data
~~assembler under control of the central processor;~~
 storing the assembled image data blocks in memory ~~in accordance with the~~
~~assigned memory address; and~~
 decoding a barcode within the assembled image data blocks and executing the
~~application program at the a central processor, whereby the optical image is captured, decoded~~
~~and processed by the central processor wherein the central processor executes the operating~~
system and one or more application programs.

2. (Currently Amended) The method of Claim 1, further comprising wherein
 the step of assigning, at the central processor, in response to generation of the image capture
signal, a memory address for the an image data to be assembled further comprises invoking the
~~image capture device under control of the central processor to begin the image data assembly~~
~~process.~~

Appl. No.: 09/932,148
Amndt. dated 12/30/2004
Reply to Office action of July 2, 2004

3. (Currently Amended) The method of Claim 1, wherein the step of assembling the pixel data into a plurality of image data blocks further comprises the step of invoking a transfer controller under control of the central processor.

4. (Currently Amended) The method of Claim 1, wherein the step of assembling the pixel data into a plurality of image data blocks further comprises the step of invoking an image builder module to begin an image data assembly process.

5. (Currently Amended) The method of Claim 3, wherein the step of assembling the pixel data into a plurality of image data blocks is further defined as being initiated upon receipt of a signal from the transfer controller.

6. (Cancelled)

7. (Currently Amended) The method of Claim 1, wherein the step of assembling the pixel data into a plurality of image data blocks further comprises the step of invoking a programmable logic device remote from the central processor.

8. (Cancelled)

9. (Cancelled)

10. (Currently Amended) The method of Claim 3, wherein the step of assembling the pixel data into a plurality of image data blocks further comprises the step of invoking the transfer controller to coordinate transfer of the assembled image data blocks to memory.

11. (Cancelled)

12. (Currently Amended) The method of Claim 1, further comprising the step of generating an end of frame signal after all the image data blocks components are stored.

Appl. No.: 09/932,148
Amdt. dated 12/30/2004
Reply to Office action of July 2, 2004

13. (Cancelled)

14. (Currently Amended) The method of Claim 1, further comprising the step of executing the application program after the ~~image data~~ barcode has been decoded.

15. (Currently Amended) The method of Claim 3, wherein the step of assigning to the assembled image data, at the central processor, in response to generation of the image capture signal, a memory address for an image further comprises the step of communicating the memory address via the transfer controller.

16. (Currently Amended) The method of Claim 1, wherein the step of storing the assembled image data in system memory further comprises gaining control of the data bus in communication with the image data assembler and the memory module and transferring assembled image data to system memory.

17. (Cancelled)

18. (Currently Amended) The method of Claim 3, wherein the step of invoking a transfer controller further comprises invoking a programmable logic device.

19. (Currently Amended) The method of Claim 4, wherein invoking an image builder module further comprises invoking a programmable logic device.

20. (Currently Amended) The method of Claim 1, wherein the step of assembling the pixel data into a plurality of image data blocks further comprises the step of assembling the image data blocks under control of the central processor and an image builder module.

21. (Currently Amended) The method of Claim 1, wherein the step of storing the assembled image data blocks in memory further comprises storing the assembled image data blocks in memory under control of the central processor or a transfer controller.

Appl. No.: 09/932,148
Amdt. dated 12/30/2004
Reply to Office action of July 2, 2004

22. (Cancelled)

23. (Currently Amended) An imaging device for capturing and decoding
barcode optical image data from an image signal, the device comprising:
an imager for generating image pixel data segments;
an image data assembler in communication with the imager under control of the
central processor that receives image data segments pixel data from the imager and assembles the
pixel data into image data blocks components;
a memory module in communication with the image data assembler that receives
assembled image data blocks components from the image data assembler and stores the
assembled image data blocks components according to an assigned memory address; and
a central processor in communication with the memory module that executes a
barcode decode routine on the stored image data blocks the image capture process and the and
executes a device operating system and one or more application program programs of the image
capture device, whereby the optical image is captured, decoded and processed under control of
the central processor.

24. (Currently Amended) The imaging device of Claim 23, wherein the image
data assembler comprises an image builder module that receives image pixel data segments.

25. (Currently Amended) The imaging device of Claim 23, wherein the image
data assembler comprises a transfer controller that receives a signal signals from the central
processor.

26. (Original) The imaging device of Claim 25, wherein the
transfer controller invokes an image builder module in response to a signal from the central
processor.

Appl. No.: 09/932,148
Amdt. dated 12/30/2004
Reply to Office action of July 2, 2004

27. (Currently Amended) The imaging device of Claim 24, wherein the transfer controller invokes the image builder module in response to a signal from the central processor designating a memory address for the image data blocks that ~~is~~ are to be assembled.

28. (Cancelled)

29. (Cancelled)

30. (Original) The imaging device of Claim 23, wherein the image data assembler comprises a programmable logic device.

31. (Original) The imaging device of Claim 25, wherein the transfer controller comprises a programmable logic device.

32. (Cancelled)

33. (Currently Amended) The imaging device of Claim 23, wherein the central processor, the image data assembler and the memory module are ~~located~~ disposed on the same a single printed circuit board.

34. (Cancelled)

35. (Cancelled)

36. (Currently Amended) The imaging device of Claim 23, wherein ~~said the~~ image data assembler generates an end of frame signal after the image data ~~components~~ blocks are assembled.

Appl. No.: 09/932,148
Amdt. dated 12/30/2004
Reply to Office action of July 2, 2004

37. (Cancelled)

38. (Cancelled)

39. (Currently Amended) The imaging device of Claim 23, wherein said the
image builder module comprises a programmable logic device.

40. (Cancelled)